


ALUMINIUM PROFILE L-LINE STANDARD 24



🇩🇪 L-LINE STANDARD 24






🇬🇧 L-LINE STANDARD 24

Für L-LINE STANDARD 24 steht eine plane Kunststoffabdeckung in vier Varianten zur Verfügung:

- glasklar
- frost (halbklar)
- milchig frost (opal)
- mit Mikroprismen

One flat plastic cover is available in following versions:

- crystal clear
- frost (semitransparent)
- milky frost (opal)
- with microprism



Produkttypen / Product Type

Artikel-Nr. order code	Bezeichnung description	Länge length
PRL69F02S	ALUMINIUM PROFILE L-LINE STANDARD 24	2 m
PRL69F02SX	ALUMINIUM PROFILE L-LINE STANDARD 24	3 m
PRL69F02SY	ALUMINIUM PROFILE L-LINE STANDARD 24	5 m
PRL69F02SZ	ALUMINIUM PROFILE L-LINE STANDARD 24	lfm (max. 5 m)* / per meter (max. 5 m)*
PRL69F02SW	ALUMINIUM PROFILE L-LINE STANDARD 24 weiß / white**	2 m
PRL69F02SWX	ALUMINIUM PROFILE L-LINE STANDARD 24 weiß / white**	3 m
PRL69F02SB	ALUMINIUM PROFILE L-LINE STANDARD 24 schwarz / black***	2 m
PRL69F02SBX	ALUMINIUM PROFILE L-LINE STANDARD 24 schwarz / black***	3 m
PRL69FS3A0	ALUMINIUM COVER L-LINE	0,2 m
PRL69FS3A1	ALUMINIUM COVER L-LINE	1,0 m
PRL69FS3A2	ALUMINIUM COVER L-LINE	2,0 m
PRL69FS3AZ	ALUMINIUM COVER L-LINE	lfm (max. 2 m)* / per meter (max. 2 m)*
PRL69FS3A0W	ALUMINIUM COVER L-LINE weiß / white**	0,2 m
PRL69FS3A1W	ALUMINIUM COVER L-LINE weiß / white**	1,0 m
PRL69FS3A2W	ALUMINIUM COVER L-LINE weiß / white**	2,0 m
PRL69FS3AZW	ALUMINIUM COVER L-LINE weiß / white**	lfm (max. 2 m)* / per meter (max. 2 m)*
PRL69FS3A0B	ALUMINIUM COVER L-LINE schwarz / black***	0,2 m
PRL69FS3A1B	ALUMINIUM COVER L-LINE schwarz / black***	1,0 m
PRL69FS3A2B	ALUMINIUM COVER L-LINE schwarz / black***	2,0 m
PRL69FS3AZB	ALUMINIUM COVER L-LINE schwarz / black***	lfm (max. 2 m)* / per meter (max. 2 m)*
PRL69FSB5	ALUMINIUM SLIDING BASE L-LINE HSB	2 m
PRL69FSB5W	ALUMINIUM SLIDING BASE L-LINE HSB weiß / white**	2 m
PL69FSBB	ALUMINIUM SLIDING BASE L-LINE B	2 m
PRL69FSBBW	ALUMINIUM SLIDING BASE L-LINE B weiß / white**	2 m
PRL69FSRC	ALUMINIUM SLIDING REFLECTOR L-LINE chrom / chrome	2 m
PRL69FSRW	ALUMINIUM SLIDING REFLECTOR L-LINE weiß / white**	2 m
PRL690007	CONNECTOR 24 LINEAR	
PRL690008	CONNECTOR 24 90°	
PRL69FS3E5	ALUMINIUM END CAP FLAT L-LINE STANDARD	
PRL69FS3E5W	ALUMINIUM END CAP FLAT L-LINE STANDARD weiß / white**	
PRL69FS3E5B	ALUMINIUM END CAP FLAT L-LINE STANDARD schwarz / black***	


* Zuschnitt nach Maß / Custom Length

** weiß RAL 9016 / white RAL 9016 *** schwarz RAL 9005 / black RAL 9005

PLASTIC COVERS L-LINE

Formen shapes	Varianten versions
FLAT	CLEAR, FROST, MILKY (OPAL), MICROPRISM

PLASTIC COVERS L-LINE



🇩🇪 L-LINE KUNSTSTOFFABDECKUNGEN

Für die L-LINE Profile steht eine plane Kunststoffabdeckung in vier Varianten zur Verfügung:

- glasklar
- frost (halbklar)
- milchig frost (opal)
- mit Mikroprismen

🇬🇧 L-LINE PLASTIC COVERS

One flat plastic cover is available in following versions:

- crystal clear
- frost (semitransparent)
- milky frost (opal)
- with microprism



Produkttypen / Product Type

Artikel-Nr. order code	Bezeichnung description	Länge length
PRL69FS3C	PLASTIC COVER L-LINE FLAT CLEAR	2 m
PRL69FS3CX	PLASTIC COVER L-LINE FLAT CLEAR	3 m
PRL69FS3CY	PLASTIC COVER L-LINE FLAT CLEAR	5 m
PRL69FS3CZ	PLASTIC COVER L-LINE FLAT CLEAR	lfm (max. 5 m)* / per meter (max. 5 m)*
PRL69FS3F	PLASTIC COVER L-LINE FLAT FROST	2 m
PRL69FS3FX	PLASTIC COVER L-LINE FLAT FROST	3 m
PRL69FS3FY	PLASTIC COVER L-LINE FLAT FROST	5 m
PRL69FS3FZ	PLASTIC COVER L-LINE FLAT FROST	lfm (max. 5 m)* / per meter (max. 5 m)*
PRL69FS3M	PLASTIC COVER L-LINE FLAT MILKY (OPAL)	2 m
PRL69FS3MX	PLASTIC COVER L-LINE FLAT MILKY (OPAL)	3 m
PRL69FS3MY	PLASTIC COVER L-LINE FLAT MILKY (OPAL)	5 m
PRL69FS3MZ	PLASTIC COVER L-LINE FLAT MILKY (OPAL)	lfm (max. 5 m)* / per meter (max. 5 m)*
PRL69FS3P	PLASTIC COVER L-LINE FLAT MICROPRISM	2 m
PRL69FS3PX	PLASTIC COVER L-LINE FLAT MICROPRISM	3 m
PRL69FS3PZ	PLASTIC COVER L-LINE FLAT MICROPRISM	lfm (max. 3 m)* / per meter (max. 3 m)*

*Zuschnitt nach Maß / Custom Length

LEaD LiGHT

Experts in LED

LEaD LIGHT GmbH

Hoogeweg 132
47623 Kevelaer

Tel.: +49 2832/975208-0
Fax: +49 2832/975208-88

Web: www.LEaD-LIGHT.de
Mail: info@LEaD-LIGHT.de