






## ALUMINIUM PROFILE M-LINE STANDARD



### 🇩🇪 M-LINE STANDARD

Für M-LINE STANDARD stehen vier verschiedene Formen von Kunststoffabdeckungen zur Verfügung: plan (nicht für DMX STRIP 30 geeignet), oval, halbrund und eckige.

Jede der vier Formen ist in folgenden Varianten erhältlich: glasklar, frost (halbklar) und milchig frost (opal).

Die plane Abdeckung (FLAT) ist auch als begehbare und bruchfeste Variante in glasklar, frost, milchig frost (opal) erhältlich.

### 🇬🇧 M-LINE STANDARD

Four different shapes of plastic covers are available: flat (not suitable for the DMX STRIP 30), oval, round and square.

Each of the four shapes are available in following versions: crystal clear, frost and milky frost (opal)

The flat cover (FLAT) is also as a walkable and break-proof version in crystal clear, frost, milky frost (opal) available.



### Produkttypen / Product Type

Artikel-Nr. order code	Bezeichnung description	Länge length
PRL690000	ALUMINIUM PROFILE M-LINE STANDARD	2 m
PRL690000X	ALUMINIUM PROFILE M-LINE STANDARD	3 m
PRL690000Y	ALUMINIUM PROFILE M-LINE STANDARD	5 m
PRL690000Z	ALUMINIUM PROFILE M-LINE STANDARD	1fm (max. 5 m)* / per meter (max. 5 m)*
PRL690000W	ALUMINIUM PROFILE M-LINE STANDARD weiß / white**	2 m
PRL690000WX	ALUMINIUM PROFILE M-LINE STANDARD weiß / white**	3 m
PRL690000B	ALUMINIUM PROFILE M-LINE STANDARD schwarz / black***	2 m
PRL690000BX	ALUMINIUM PROFILE M-LINE STANDARD schwarz / black***	3 m
PRL690SBS	ALUMINIUM SLIDING BASE M-LINE	2 m
RPL690S3E	ALUMINIUM END CAP FLAT M-LINE STANDARD	
PRL690S3EW	ALUMINIUM END CAP FLAT M-LINE STANDARD weiß / white**	
PRL690S3EB	ALUMINIUM END CAP FLAT M-LINE STANDARD schwarz / black***	
PRL690R2E	ALUMINIUM END CAP ROUND M-LINE STANDARD	
PRL690R2EW	ALUMINIUM END CAP ROUND M-LINE STANDARD weiß / white**	
PRL690R2EB	ALUMINIUM END CAP ROUND M-LINE STANDARD schwarz / black***	
PRL690S1E	ALUMINIUM END CAP SQUARE M-LINE STANDARD	
PRL690S1EW	ALUMINIUM END CAP SQUARE M-LINE STANDARD weiß / white**	
PRL690S1EB	ALUMINIUM END CAP SQUARE M-LINE STANDARD schwarz / black***	
PRL690006	ALUMINIUM SCHWENKHALTER silber 1 Stück ALUMINIUM SWIVELLING HOLDER silver 1 pcs	
PRL690006W	ALUMINIUM SCHWENKHALTER weiß** 1 Stück ALUMINIUM SWIVELLING HOLDER white** 1 pcs	
PRL690006B	ALUMINIUM SCHWENKHALTER schwarz*** 1 Stück ALUMINIUM SWIVELLING HOLDER black*** 1 pcs	
PRL690001	ALUMINIUM PROFILE SET MOUNTING M-LINE STANDARD + LOW / O-LINE Set bestehend aus: 3x Mounting Clip + 1x Inbusschlüssel Set includes: 3x Mounting Clip + 1x Allen Key	
PRPRL690001W	ALUMINIUM PROFILE SET MOUNTING weiß / white** M-LINE STANDARD + LOW / O-LINE Set bestehend aus: 3x Mounting Clip + 1x Inbusschlüssel Set includes: 3x Mounting Clip + 1x Allen Key	
PRL690001B	ALUMINIUM PROFILE SET MOUNTING schwarz / black*** M-LINE STANDARD + LOW / O-LINE Set bestehend aus: 3x Mounting Clip + 1x Inbusschlüssel Set includes: 3x Mounting Clip + 1x Allen Key	

\*Zuschnitt nach Maß / Custom Length

\*\*weiß RAL 9016 / white RAL 9016 \*\*\*schwarz RAL 9005 / black RAL 9005

### PLASTIC COVERS M-LINE

Formen shapes	Varianten versions
FLAT	CLEAR, FROST, MILKY (OPAL)
BREAK-PROOF FLAT	CLEAR, FROST, MILKY (OPAL)
OVAL	CLEAR, FROST, MILKY (OPAL)
ROUND	CLEAR, FROST, MILKY (OPAL)
SQUARE	CLEAR, FROST, MILKY (OPAL)


## PLASTIC COVERS M-LINE



FLAT COVER

OVAL COVER

ROUND COVER



### 🇩🇪 M-LINE KUNSTSTOFFABDECKUNGEN

Für die M-LINE Profile stehen vier verschiedene Formen von Kunststoffabdeckungen zur Verfügung:

- plane Abdeckung
- ovale Abdeckung
- halbrunde Abdeckung
- eckige Abdeckung

Jede der vier Formen ist in folgenden Varianten erhältlich:

- glasklar
- frost (halbkklar)
- milchig frost (opal)

Die plane Abdeckung (FLAT) ist auch als begehbare und bruchfeste Variante in glasklar, frost, milchig frost (opal) erhältlich.

### 🇬🇧 M-LINE PLASTIC COVERS

Four different shapes of plastic covers are available:

- flat cover
- oval cover
- round cover
- square cover

Each of the four shapes are available in following versions:

- crystal clear
- frost (semitransparent)
- milky frost (opal)

The flat cover (FLAT) is also as a walkable and break-proof version in crystal clear, frost, milky frost (opal) available.




Clear

Frost

Milky (opal)

## PLASTIC COVERS M-LINE



SQUARE COVER

### Produkttypen / Product Type

Artikel-Nr. order code	Bezeichnung description	Länge length
PRL690S3C	PLASTIC COVER M-LINE FLAT CLEAR	2 m
PRL690S3CX	PLASTIC COVER M-LINE FLAT CLEAR	3 m
PRL690S3CY	PLASTIC COVER M-LINE FLAT CLEAR	5 m
PRL690S3CZ	PLASTIC COVER M-LINE FLAT CLEAR	lfm (max. 5 m)* / per meter (max. 5 m)*
PRL690S3F	PLASTIC COVER M-LINE FLAT FROST	2 m
PRL690S3FX	PLASTIC COVER M-LINE FLAT FROST	3 m
PRL690S3FY	PLASTIC COVER M-LINE FLAT FROST	5 m
PRL690S3FZ	PLASTIC COVER M-LINE FLAT FROST	lfm (max. 5 m)* / per meter (max. 5 m)*
PRL690S3M	PLASTIC COVER M-LINE FLAT MILKY (OPAL)	2 m
PRL690S3MX	PLASTIC COVER M-LINE FLAT MILKY (OPAL)	3 m
PRL690S3MY	PLASTIC COVER M-LINE FLAT MILKY (OPAL)	5 m
PRL690S3MZ	PLASTIC COVER M-LINE FLAT MILKY (OPAL)	lfm (max. 5 m)* / per meter (max. 5 m)*
PRL690S3CB	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION CLEAR	2 m
PRL690S3CBX	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION CLEAR	3 m
PRL690S3CBy	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION CLEAR	5 m
PRL690S3CBZ	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION CLEAR	lfm (max. 5 m)* / per meter (max. 5 m)*
PRL690S3FB	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION FROST	2 m
PRL690S3FBX	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION FROST	3 m
PRL690S3FBy	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION FROST	5 m
PRL690S3FBZ	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION FROST	lfm (max. 5 m)* / per meter (max. 5 m)*
PRL690S3MB	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION MILKY (OPAL)	2 m
PRL690S3MBX	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION MILKY (OPAL)	3 m
PRL690S3MBY	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION MILKY (OPAL)	5 m
PRL690S3MBZ	PLASTIC COVER M-LINE FLAT BREAK-PROOF VERSION MILKY (OPAL)	lfm (max. 5 m)* / per meter (max. 5 m)*
PRL690V4C	PLASTIC COVER M-LINE OVAL CLEAR	2 m
PRL690V4CX	PLASTIC COVER M-LINE OVAL CLEAR	3 m
PRL690V4CZ	PLASTIC COVER M-LINE OVAL CLEAR	lfm (max. 3 m)* / per meter (max. 3 m)*
PRL690V4F	PLASTIC COVER M-LINE OVAL FROST	2 m
PRL690V4FX	PLASTIC COVER M-LINE OVAL FROST	3 m
PRL690V4FZ	PLASTIC COVER M-LINE OVAL FROST	lfm (max. 3 m)* / per meter (max. 3 m)*
PRL690V4M	PLASTIC COVER M-LINE OVAL MILKY (OPAL)	2 m
PRL690V4MX	PLASTIC COVER M-LINE OVAL MILKY (OPAL)	3 m
PRL690V4MZ	PLASTIC COVER M-LINE OVAL MILKY (OPAL)	lfm (max. 3 m)* / per meter (max. 3 m)*
PRL690R2C	PLASTIC COVER M-LINE ROUND CLEAR	2 m
PRL690R2CX	PLASTIC COVER M-LINE ROUND CLEAR	3 m
PRL690R2CZ	PLASTIC COVER M-LINE ROUND CLEAR	lfm (max. 3 m)* / per meter (max. 3 m)*
PRL690R2F	PLASTIC COVER M-LINE ROUND FROST	2 m
PRL690R2FX	PLASTIC COVER M-LINE ROUND FROST	3 m
PRL690R2FZ	PLASTIC COVER M-LINE ROUND FROST	lfm (max. 3 m)* / per meter (max. 3 m)*
PRL690R2M	PLASTIC COVER M-LINE ROUND MILKY (OPAL)	2 m
PRL690R2MX	PLASTIC COVER M-LINE ROUND MILKY (OPAL)	3 m
PRL690R2MZ	PLASTIC COVER M-LINE ROUND MILKY (OPAL)	lfm (max. 3 m)* / per meter (max. 3 m)*
PRL690S1C	PLASTIC COVER M-LINE SQUARE CLEAR	2 m
PRL690S1CX	PLASTIC COVER M-LINE SQUARE CLEAR	3 m
PRL690S1CZ	PLASTIC COVER M-LINE SQUARE CLEAR	lfm (max. 3 m)* / per meter (max. 3 m)*
PRL690S1F	PLASTIC COVER M-LINE SQUARE FROST	2 m
PRL690S1FX	PLASTIC COVER M-LINE SQUARE FROST	3 m
PRL690S1FZ	PLASTIC COVER M-LINE SQUARE FROST	lfm (max. 3 m)* / per meter (max. 3 m)*
PRL690S1M	PLASTIC COVER M-LINE SQUARE MILKY (OPAL)	2 m
PRL690S1MX	PLASTIC COVER M-LINE SQUARE MILKY (OPAL)	3 m
PRL690S1MZ	PLASTIC COVER M-LINE SQUARE MILKY (OPAL)	lfm (max. 3 m)* / per meter (max. 3 m)*

\* Zuschnitt nach Maß / Custom Length

# LEaD LiGHT

Experts in LED

**LEaD LIGHT GmbH**

Hoogeweg 132  
47623 Kevelaer

Tel.: +49 2832/975208-0  
Fax: +49 2832/975208-88

Web: [www.LEaD-LIGHT.de](http://www.LEaD-LIGHT.de)  
Mail: [info@LEaD-LIGHT.de](mailto:info@LEaD-LIGHT.de)