




 <b>LEaD LIGHT</b> Experts in LED	<b>Alu-Metallkernleiterplatte</b> <b>DR578205xxxx</b>	Produktgruppe: LED-Leiterplatten																								
		2016-02-19																								
		R001																								
																										
Aluminium-Metallkernleiterplatte mit Power-LED maximale Systemlänge 1500 mm aluminium metal-core PCB with power LED max. system length 1500mm		IP00   																								
<b>Technische Daten / specifications:</b>																										
LED Typ LED type	Samsung LH351B																									
Eingangsspannung input voltage	12Vdc																									
Abstrahlwinkel beam angle	120°																									
Leitungslänge Cable length	250mm																									
Material /-stärke material / thickness	Aluminium / 1,7mm																									
Abmessungen (LxBxH) dimensions (LxBxH)	Lx25x3,5mm																									
<table border="1"> <thead> <tr> <th>Anzahl LED LED quantity</th> <th>LED-Farbe LED colour</th> <th>Farbtemp. colour temp.</th> <th>CRI CRI</th> <th>Nennleistung rated power</th> <th>Lichtstrom luminous flux</th> <th>Artikelnummer article number</th> </tr> </thead> <tbody> <tr> <td rowspan="3">15</td> <td>warmweiß warm white</td> <td>typ. 3000K</td> <td>&gt;80</td> <td rowspan="3">typ. 21W</td> <td>ca. 1650lm</td> <td>DR5782053000</td> </tr> <tr> <td>neutralweiß neutral white</td> <td>typ. 4000K</td> <td>&gt;80</td> <td>ca. 1800lm</td> <td>DR5782054000</td> </tr> <tr> <td>kaltweiß cool white</td> <td>typ. 6500K</td> <td>&gt;70</td> <td>ca. 2100m</td> <td>DR5782056500</td> </tr> </tbody> </table>	Anzahl LED LED quantity	LED-Farbe LED colour	Farbtemp. colour temp.	CRI CRI	Nennleistung rated power	Lichtstrom luminous flux	Artikelnummer article number	15	warmweiß warm white	typ. 3000K	>80	typ. 21W	ca. 1650lm	DR5782053000	neutralweiß neutral white	typ. 4000K	>80	ca. 1800lm	DR5782054000	kaltweiß cool white	typ. 6500K	>70	ca. 2100m	DR5782056500		
Anzahl LED LED quantity	LED-Farbe LED colour	Farbtemp. colour temp.	CRI CRI	Nennleistung rated power	Lichtstrom luminous flux	Artikelnummer article number																				
15	warmweiß warm white	typ. 3000K	>80	typ. 21W	ca. 1650lm	DR5782053000																				
	neutralweiß neutral white	typ. 4000K	>80		ca. 1800lm	DR5782054000																				
	kaltweiß cool white	typ. 6500K	>70		ca. 2100m	DR5782056500																				
Bei Einbau der Leiterplatte muss darauf geachtet werden, dass eine ausreichende Wärmeableitung stattfinden kann. Bitte Kühlkörper verwenden. When installing the PCB must make sure that sufficient heat dissipation is guaranteed. Please use a heatsink.																										
<b>Ökodesign-Richtlinie / ecodesign directive</b>																										
Einstufung durchgeführt gemäß classification according to	2009/125/EG 2009/125/EC																									
Energieeffizienzklasse energy efficiency class	<b>A+</b>																									

# LEaD LiGHT

Experts in LED

**LEaD LIGHT GmbH**

Hoogeweg 132  
47623 Kevelaer

Tel.: +49 2832/975208-0  
Fax: +49 2832/975208-88

Web: [www.LEaD-LIGHT.de](http://www.LEaD-LIGHT.de)  
Mail: [info@LEaD-LIGHT.de](mailto:info@LEaD-LIGHT.de)